



ARCTIC ARMOR SAFETY COVERS

MEASURING AND ORDERING FORM

Date _____ Order Estimate Company Name Discount Pool and Spa Sup

- | | | | | |
|---|--|----------------------------------|-------------------------------------|---|
| COVER TYPE | COVER COLOR | SPACING | ANCHOR TYPE | COPING |
| <input type="checkbox"/> 12-Yr. Standard Mesh | <input type="checkbox"/> Green <input type="checkbox"/> Blue | <input type="checkbox"/> 5' x 5' | <input type="checkbox"/> Concrete | Is it abrasive? Y <input type="checkbox"/> N <input type="checkbox"/> |
| <input type="checkbox"/> 15-Yr. Super Mesh | <input type="checkbox"/> Green <input type="checkbox"/> Blue | <input type="checkbox"/> 3' x 3' | <input type="checkbox"/> Wood Deck | Type: _____ |
| <input type="checkbox"/> 15-Yr. Ultra Solid | <input type="checkbox"/> Green <input type="checkbox"/> Blue | | <input type="checkbox"/> Lawn/Brick | |
| <input type="checkbox"/> 25-Yr. Commercial Mesh | <input type="checkbox"/> Black | | | |

SOLD TO:
 Name _____
 Address _____
 City _____ State _____ Zip _____
 Phone # _____ Fax # _____
 Email: _____

FILL IN POOL DIMENSIONS BELOW	
C. _____	G. _____
D. _____	H. _____
E. _____	I. _____
F. _____	J. _____

PLEASE MARK YOUR POOL TYPE BELOW AND FILL IN ALL MEASUREMENTS


PROVIDE DRAWING TO SHOW STEP LOCATION AND DIMENSIONS AND ANY CUTOUT INFORMATION

RECTANGLE




GRECIAN

$C = G + E + G$
 $D = H + F + H$




OVAL




ROMAN

$C = G + E + G$
 $D = H + F + H$




LAZY L

Indicate Left or Right "bend" from deep to shallow end - Lazy L Right shown



TRUE L



THE ABOVE POOL TYPES ARE MADE WITH 5'X5' SPACING UNLESS OTHERWISE SPECIFIED

All gunite & free form pools must be AB measured due to their lack of symmetry. See the following AB measuring form.

ADDITIONAL REQUIRED INFORMATION

Please submit labelled photos for pools with complex features!
 Cutouts may be required if objects are within 18" of pool.
 Please provide A-B dimensions to locate object.

All non-removable obstacles.

1. Grabrails: Pt# _____ to Pt# _____
 Distance rails are set back from pool _____

2. Handrails: Pt# _____ to Pt# _____
 Distance rails extend into pool _____

3. Ladders: Pt# _____ to Pt# _____
 Ladder Cups
 (if cutout needed) Pt# _____ to Pt# _____
 How far does ladder extend into pool? _____

4. Fillspout: Pt# _____
 Dimensions & distance from pool: _____
 How high if raised? _____

5. Dive Stand: Pt# _____ to Pt# _____

6. Slide Legs:
 (within 2 ft) Pt# _____ to Pt# _____
 Distance legs are back from pool _____

7. Dive Rocks: Pt# _____ to Pt# _____
 Distance back from pool _____
 Give several points along rock, (left side, front side, right side)

8. Grab Rocks: Pt# _____ to Pt# _____
 Distance back from pool _____

9. Type and width of coping: _____ and _____

10. Planter or grass area: Pt# _____ to Pt# _____

11. Spa: Pt# _____ to Pt# _____
 Separate cover required Yes _____ No _____
 How high is spa? _____
 Is spa wall flush with top of coping? Yes ____ No ____
 Open Spillway: Yes _____ No _____
 If yes: To locate spillway Pt# _____ to Pt# _____
 Give points all around spa and points at all four corners of open spillway.

12. Raised wall or Raised Bond Beam:
 Pt# _____ to Pt# _____
 Give A-B dimensions at beginning of wall, as well as
 along wall to end of wall. Height? _____

13. Waterfall or Rock Formation:
 Pt# _____ to Pt# _____
 Furnish points at beginning, middle, end of formation.
 Always use approximate 1' intervals between points.

14. Varying Deck Levels:
 step 1: Pt# _____ to Pt# _____
 A-B dimensions require indicating angle of the deck
 from pool wall, out onto deck. Height? _____
 step 2: Pt# _____ to Pt# _____
 step 3: Pt# _____ to Pt# _____

15. Wood Deck: Yes _____ No _____
 Are wood deck anchor
 flanges required Yes _____ No _____
 Indicate partial wood deck areas:
 Pt# _____ to Pt# _____

16. Commercial Pool:
 Skimmer _____
 Gutter _____
 If gutter pool, _____
 indicate dimension of gutter _____

*Covers over 2000 sq. ft. must be made in 3x3 sections.

Additional Requirements

POOL TYPE

VINYL

package pool brand

GUNITE

OTHER

Overall length _____, from point _____ to point _____ (longest point).

Overall width _____, from point _____ to point _____ (widest point).

Additional cross dimensions: Pt# _____ to Pt# _____, Pt# _____ to Pt# = _____,

Pt# _____ to Pt# = _____.

* The distance between A and B is _____

Show A B in relation to the pool (on sketch)

* Indicate areas where the deck is less than 4' from waterline of the pool _____

No.	A	B	No.	A	B	No.	A	B	No.	A	B	No.	A	B
1			17			33			49			65		
2			18			34			50			66		
3			19			35			51			67		
4			20			36			52			68		
5			21			37			53			69		
6			22			38			54			70		
7			23			39			55			71		
8			24			40			56			72		
9			25			41			57			73		
10			26			42			58			74		
11			27			43			59			75		
12			28			44			60			76		
13			29			45			61			77		
14			30			46			62			78		
15			31			47			63			79		
16			32			48			64			80		

PLEASE ANSWER ALL QUESTIONS ON BACK OF PAGE

A-B line or extensions of, cannot intersect pool;
"A" must be left of "B"; number all points in clockwise direction

A-B MEASURING INSTRUCTIONS

Necessary for all free-form pools and ovals w/ step other than center end.

1. a. Draw a sketch of the pool shape on the grid provided.
 - b. To represent your A-B line, mark 2 points on the deck in a straight line approximately 3'-4' from the pool's edge and about two-third's (2/3) the length of the pool. "A" must always be to the left of "B" as you face the pool.
 - c. Make sure the pool is totally in front of the A-B line. This is a must because your measurements will be incorrect if this instruction is not observed.
 - d. Measure the A-B line, and on your sketch, note its length and position in reference to the pool.
2. a. Use chalk to mark and number points clockwise around the entire pool at approximately 3 foot intervals. Point #1 must be directly across from the center point of your A-B line. Make sure your marks are on the inside edge of the pool. Make each step corner a numbered point. Measure sharp curves and angles at 1' to 2' intervals or less. Any obstructions such as ladders, slides, rocks, waterfalls, etc. should be a numbered point. Measure these last after complete all pool points.
 - b. Obstructions away from the water's edge but within the 18" overlap area should be numbered last on the A-B form, not in succession as you measure around the pool's edge.
 - c. Make sure to include steps, ladders, waterfalls or any other non-removable obstruction on your sketch.
3. Record measurements from point A and B to all the points you have marked around pool perimeter.
 - a. Secure the end of your 100 ft. measuring tape to "A" on your A-B line and measure the distance to point #1 and note the distance in the "A" column on the chart provided. Continue around the pool until you have recorded all your points with an "A" measurement.
 - b. Secure the end of your 100 ft. measuring tape to "B" and repeat the step above from "B" on your A-B line.
4. a. Take 3-4 diagonal measurements randomly from numbered points on the pool and note in the spaces provided.

Items such as slide legs, ladders (that are not removable), etc. that are with 2' of pool will be cutouts.

Measure these items after all pool points are finished.

